

COMPLETE PRODUCT RANGE

Tasmanian Oak products

From 100% certified and sustainably harvested Regrowth forests.



Inside >









-  Dressed All Round (DAR) Hardwood
-  Flooring: Solid End Matched & Engineered
-  Architrave Mouldings
-  Door Jambs
-  Weatherboards
-  Fine Mouldings
-  Evolution Lining
-  Woodsmith Engineered Flooring


SINCE
1924


nsfp
Neville Smith
Forest Products


ABELWOOD
TASMANIAN OAK

Explore NSFP's complete range of quality Tasmanian Oak products

About Neville Smith Forest Products	3
About Abelwood Tasmanian Oak	4
Sustainability	5
 Dressed All Round (DAR) Hardwood	6
 Flooring: Solid End Matched & Engineered	11
 Architrave Mouldings	13
 Door Jambs	15
 Weatherboards	17
 Fine Mouldings	19
 Evolution Lining	36
 Woodsmith Engineered Flooring	41

Exceptional Tasmanian Oak products expertly crafted in Tasmania since 1924.

Neville Smith Forest Products (NSFP) has operated within Tasmania since 1924 and is one of the most advanced processors of sustainably grown and harvested Regrowth Tasmanian Oak in Australia.

A family-owned business with a passion for sustainability, community, design and innovation, NSFP is a valued supplier of hardwood timber to Architects and Designers across Australia. NSFP products are increasingly chosen as key decorative components within contemporary Australian architectural projects, prized for their beauty, strength and workability.

Under the Abelwood and Woodsmith brands NSFP is a valued supplier of timber to some of Australia's most iconic retailers selling a range of premium crafted products including Flooring, Lining, Architraves and Decorative Mouldings, making it the preferred choice for builders, and home renovators alike.

NSFP is truly Tasmanian with headquarters at Mowbray in Tasmania's north, along with extensive processing operations state-wide. NSFP employs over 160 Tasmanians in a diverse range of strategic, processing, sales and administration roles.

From its inception NSFP has operated at a grassroots level, creating employment opportunities for some of Tasmania's most remote communities. Generations of Tasmanians have been part of the NSFP story and through their pioneering spirit and ingenuity have made NSFP the dynamic and successful company it is today.

The Green Mill located in Southern Tasmania's Huon Valley is where NSFP's sustainably produced Tasmanian Oak begins its journey. Sourced from only PEFC Certified resource and under stringent

environmental guidelines endorsed by the Tasmanian State Government and its forestry body, Sustainable Timber Tasmania, NSFP sources timber that will yield only the finest quality consumer products, whilst maintaining the utmost respect for the Regrowth and Plantation Eucalyptus forests from which it is derived.

Timber is transported to the Dry Mill located in Northern Tasmania where it is carefully stacked and left to mature for over one year. When ready to be processed it is kiln-dried and expertly moulded into a select range of products including Flooring, Lining, Decorative Mouldings and Dressed All Round products.

NSFP is renowned for innovation, with an emphasis on optimisation and waste minimisation.

NSFP also operates a high-end Moulding and Pellet processing facility in Warrane in Tasmania's south. It is here, premium Tasmanian Oak mouldings are crafted into intricate contemporary and traditional profiles and bio-energy heating pellets begin their journey to homes across Australia, providing an efficient and environmentally friendly heating alternative.



Visit us
online
for more
information



More Australians are discovering the natural beauty of Abelwood Tasmanian Oak.

More architects, builders and designers choose Abelwood Tasmanian Oak hardwood because of its workability, consistent grain and natural blond tones. It perfectly complements the modern Australian design aesthetic and is trusted to perform year in, year out. Abelwood Tasmanian Oak by NSFP offers the highest of finishes across all its products making them ready for a range of decorative options to suit your home. Your next project deserves only the best and the best is Abelwood Tasmanian Oak by NSFP.

A range of exceptional Tasmanian Oak products

Abelwood's Tasmanian Oak range is a vast collection of expertly crafted and meticulously finished products developed through years of experience and innovation. Our core range showcased in this brochure extends from Dressed All Round profiles, a selection of Solid Strip and Engineered Flooring to Architrave Mouldings and Door Jambs. Please also see our specialist brochures for Evolution Wall and Ceiling Linings, Woodsmith Engineered Flooring and our range of Fine Mouldings.

A quality product to last a lifetime

Abelwood Tasmanian Oak is prized for its beauty, strength, stability, workability and staining qualities and is used extensively in general joinery and specialised cabinetry and furniture applications.

Tasmanian Oak is light in colour, varying from straw to reddish brown with intermediate shades of cream to pink. It is recognised for its excellent staining qualities, which allow ready matching with other timbers, finishes or furnishings.



Sustainably producing beautiful Regrowth Tasmanian Oak products since 1924.

Neville Smith Forest Products (NSFP) has been part of Tasmanian forestry since 1924, and today is one of the most advanced processors of sustainably grown Regrowth Tasmanian Oak products in Australia.

With a long and proud history working in Tasmania's forest industry we understand the importance of sustainably managing this beautiful and unique resource.

Abelwood Tasmanian Oak products are sourced from only sustainably harvested, regrowth PEFC Certified Tasmanian Oak and all NSFP sites have 100% Chain of Custody certification.

When you choose Abelwood Tasmanian Oak, you can be assured of a beautiful and natural product that has been sourced using the highest environmental standards.




ORIGINAL

TASMANIAN
TIMBER™

TASMANIAN





Visit us
online
for more
information

Abelwood Tasmanian Oak Dressed All Round (DAR) Hardwood

Abelwood Tasmanian Oak Dressed All Round is available in a range of popular sizes, making it the perfect option for your next project.



12mm DAR



19mm DAR



32mm DAR



42mm DAR



12mm Tasmanian Oak Hardwood

SE = Select Grade




Product code	Size	Profile	3D render
SE: TODARSE030012	30 x 12mm	 12mm 30mm	
SE: TODARSE042012	40 x 12mm	 12mm 40mm	
SE: TODARSE065012	65 x 12mm	 12mm 65mm	
SE: TODARSE090012	90 x 12mm	 12mm 90mm	
SE: TODARSE110012	110 x 12mm	 12mm 110mm	
SE: TODARSE135012	135 x 12mm	 12mm 135mm	





19mm Tasmanian Oak Hardwood
















SE = Select Grade

Product code	Size	Profile	3D render
SE: TODARSE042019	42 x 19mm		
SE: TODARSE065019	65 x 19mm		
SE: TODARSE090019	90 x 19mm		
SE: TODARSE110019	110 x 19mm		
SE: TODARSE135019	135x19mm		
SE: TODARSE160019	160x19mm		
SE: TODARSE185019	185x19mm		
SE: TODARSE210019	210x19mm		
SE: TODARSE235019	235 x 19mm		
SE: TODARSE285019	285 x 19mm		



32mm Tasmanian Oak Hardwood















SE = Select Grade


Product code	Size	Profile	3D render
SE: TODARSE032032	32 x 32mm		
SE: TODARSE042032	42 x 32mm		
SE: TODARSE065032	65 x 32mm		
SE: TODARSE090032	90 x 32mm		
SE: TODARSE110032	110 x 32mm		
SE: TODARSE135032	135 x 32mm		
SE: TODARSE160032	160 x 32mm		
SE: TODARSE185032	185 x 32mm		



42mm Tasmanian Oak Hardwood

SE = Select Grade

Product code	Size	Profile	3D render
SE: TODARSE042042	42 x 42mm		
SE: TODARSE065042	65 x 42mm		
SE: TODARSE090042	90 x 42mm		
SE: TODARSE110042	110 x 42mm		
SE: TODARSE135042	135 x 42mm		
SE: TODARSE160042	160 x 42mm		
SE: TODARSE185042	185 x 42mm		




Visit us
online
for more
information

Abelwood Tasmanian Oak Flooring

The timeless natural beauty of Tasmanian Oak floors provides a liveability and character that brings both old and new homes to life.

Abelwood flooring is crafted to the highest of finishes and offers strength and stability.

Solid End Matched Structural Flooring



Engineered Flooring






Tasmanian Oak Solid End Matched Structural Flooring


Flooring is available in both Prime and Classic grades allowing you to choose between a mild to heavy mix of natural features.

Prime (PR)



A mild mix of natural features unique by its own nature. Choose Prime Grade in applications when a consistent flow of unique colours and mild presentation of natural characteristics are preferred.

Classic (CL)



A moderate to heavy mix of natural features creating a unique floor like no other. Choose Classic Grade in applications when colour variation and natural characteristics feature frequently throughout the floor.

Product code	Size	Profile	3D render
PR: TOFLREPR085019 CL: TOFLRECL085019	85 x 19mm	19mm 85mm	
PR: TOFLREPR108019 CL: TOFLRECL108019	108 x 19mm	19mm 108mm	
PR: TOFLREPR133019 CL: TOFLRECL133019	133 x 19mm	19mm 133mm	

Tasmanian Oak Engineered Overlay Flooring

Available as Raw (R) or Pre-Finished (PF)

- 3.2m wear layer
- Cross laminate substrate ensuring stability and resistance to warping and shrinkage
- Hard wearing and resistant to foot traffic and every day living
- Straight grain and light tone
- Suitable for use as wall lining
- Manufactured from sustainable Regrowth Tasmanian Oak

Product code	Size	Profile	3D render
R: TOEFNATRAW165014.2/2.130 PF: TOWSEFHUON165014.2/2.130	165 x 14.2mm	14.2mm 165mm	



Visit us
online
for more
information

Abelwood Tasmanian Oak Architrave Mouldings

Abelwood Architrave Mouldings are available in a range of popular profiles, and are all produced from only standard and better grade timber, making them the perfect option for a range of architrave and skirting applications.



Bullnose







Half Splayed







Single Bevel











Bullnose Architrave

Product code	Size	Profile	3D render
TOBNAAR065019	65 x 19mm		
TOBNAAR085019	85 x 19mm		

Half Splayed Architrave

Product code	Size	Profile	3D render
TOHSAAR065019	65 x 19mm		
TOHSAAR085019	85 x 19mm		

Single Bevel Architrave

Product code	Size	Profile	3D render
TOSBAAR042012	42 x 12mm		
TOSBAAR065012	65 x 12mm		
TOSBAAR042019	42 x 19mm		
TOSBAAR065019	65 x 19mm		



Visit us
online
for more
information

Abelwood Tasmanian Oak Door Jamb Sets

Abelwood Tasmanian Oak Door Jamb Sets are available in a range of popular sizes allowing them to suit most openings, making them the perfect option for door jamb componentry. All Door Jamb Sets are produced from standard and better grade timber.



Abelwood Tasmanian Oak Door Jambs feature trenched heads for easy install and are available in the following sizes to suit 820mm, 920mm, and disabled access doors.

110x19, 2100 Height

Product code	Specifications
TODJSETSSB110019/2.11/.826	110x19x2110 .826 heads
TODJSETSSB110019/2.11/.926	110x19x2110 .926 heads
TODJSETSSB110019/2.11/1.0	110x19x2110 1.0 heads

110x19, 2400 Height

Product code	Specifications
TODJSETSSB110019/2.41/.826	110x19x2410 .826 heads
TODJSETSSB110019/2.41/.926	110x19x2410 .926 heads
TODJSETSSB110019/2.41/1.0	110x19x2410 1.0 heads



Visit us
online
for more
information



Abelwood Tasmanian Oak Bullnose Weatherboards

Abelwood Tasmanian Oak Weatherboards enable you to achieve the perfect traditional or contemporary style for your home.

Featuring naturally lighter tones, textures and a straight grain, Abelwood Tasmanian Oak Weatherboards are extremely well suited to a range of finishes, including stains and paint applications.



Tasmanian Oak Bullnose Weatherboards

Product code	Size	Profile	3D render
TOWBBSB165014	165 x 14mm		





Tasmanian Oak & Radiata Pine Fine Mouldings



ABELWOOD

FINE MOULDINGS



Achieve the perfect classic or contemporary look for your next project with Abelwood Tasmanian Oak and Radiata Pine Fine Mouldings.



Crafted from only the highest quality, select grade, kiln dried Tasmanian Oak hardwood timber and sustainably sourced Radiata Pine, Abelwood Fine Mouldings are available in a range of popular profiles and sizes. Abelwood Fine Mouldings offer the highest of finishes making them ready for a range of decorative options to suit your home.

A practical solution

Abelwood's selection of Fine Mouldings are perfect for functional uses such as joining, window finishings and edging, offering versatility and practicality. Choose from a range of functional profiles that allow you to apply the perfect finish to your project, including Beading, Corner Capping and Skirting. Choose Tasmanian Oak mouldings to highlight the natural features of the timber, or Radiata Pine mouldings when a painted finish is desired.

Unleash the designer within

Abelwood Fine Mouldings can be used in a wide range of projects, providing unlimited creative options. Use Coverstrap or DAR mouldings to design decorative wall features, or Dowel mouldings to create peg shelving and unique bench ends. With Abelwood Fine Mouldings, there is no limit to your creativity.





Visit us
online
for more
information

Abelwood Tasmanian Oak and Radiata Pine Fine Mouldings are available in a select range of popular profiles and sizes



DOWEL & DOWEL SHORTS
PAGE 30



QUAD
PAGE 34



TRI-QUAD
PAGE 35



DAR RECTANGLE
PAGE 36



DAR SQUARE
PAGE 37



ASTRAGAL T ROUNDED
PAGE 38



EXTERNAL CORNER
PAGE 38



SCOTIA
PAGE 39



OVOLO
PAGE 39



EDGING
PAGE 40



COVERSTRAP
PAGE 41



HANDRAIL NO.1
PAGE 43



FLY BEAD
PAGE 43



**CONT MOULD/
BEV GLAZ BEAD**
PAGE 43



GLAZING BEAD NO.1
PAGE 42



PARTING BEAD
PAGE 42



SASH BEAD
PAGE 42



WINDMOULD
PAGE 35

























Dowel

Dowel offers endless versatility and design options across a variety of decorative projects including balustrade infill components.

TO = Tasmanian Oak

PN = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW0818	8mm dia Length 1.8m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW0824	8mm dia Length 2.4m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW9518	9.5mm dia Length 1.8m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9524	9.5mm dia Length 2.4m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9530	9.5mm dia Length 3m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12518	12.5mm dia Length 1.8m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12524 PN: PNDOW12524	12.5mm dia Length 2.4m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW12530	12.5mm dia Length 3m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW1618	16mm dia Length 1.8m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1624	16mm dia Length 2.4m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1630	16mm dia Length 3m	 16mm 16mm		<input checked="" type="checkbox"/>	































Dowel Shorts



Your favourite profile now available in shorter lengths

Page 27



























Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW1918	19mm dia Length 1.8m	 19mm 19mm		<input checked="" type="checkbox"/>	
TO: TODOW1924 PN: PNDOW1924	19mm dia Length 2.4m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW1930 PN: PNDOW1930	19mm dia Length 3m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW2524	25mm dia Length 2.4m	 25mm 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2530	25mm dia Length 3m	 25mm 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2918	29mm dia Length 1.8m	 29mm 29mm		<input checked="" type="checkbox"/>	
TO: TODOW2924	29mm dia Length 2.4m	 29mm 29mm		<input checked="" type="checkbox"/>	
TO: TODOW2930	29mm dia Length 3m	 29mm 29mm		<input checked="" type="checkbox"/>	
PN: PNDOW3524	35mm dia Length 2.4m	 35mm 35mm			<input checked="" type="checkbox"/>
PN: PNDOW3530	35mm dia Length 3m	 35mm 35mm			<input checked="" type="checkbox"/>
TO: TODOW4324	43mm dia Length 2.4m	 43mm 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4330	43mm dia Length 3m	 43mm 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4336	43mm dia Length 3.6m	 43mm 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4342	43mm dia Length 4.2m	 43mm 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4348	43mm dia Length 4.8m	 43mm 43mm		<input checked="" type="checkbox"/>	



Dowel Shorts

Use Dowel Shorts for craft purposes to create shelving hooks, storage options, decorative finishes and more.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW0809	8mm dia Length 0.9m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW0812	8mm dia Length 1.2m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW9509	9.5mm dia Length 0.9m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9512	9.5mm dia Length 1.2m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12509 PN: PNDOW12509	12.5mm dia Length 0.9m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW12512	12.5mm dia Length 1.2m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW1609	16mm dia Length 0.9m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1612	16mm dia Length 1.2m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1909 PN: PNDOW1909	19mm dia Length 0.9m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW1912 PN: PNDOW1912	19mm dia Length 1.2m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW2509	25mm dia Length 0.9m	 25mm 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2512	25mm dia Length 1.2m	 25mm 25mm		<input checked="" type="checkbox"/>	









Handrail No.1

This Handrail is a modern, contemporary profile that gives a stylish look to any staircase project.

TO = Tasmanian Oak

PN = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOHDRL01654224	65 x 42mm Length 2.4m			<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOHDRL01654230	65 x 42mm Length 3m			<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOHDRL01654236	65 x 42mm Length 3.6m			<input checked="" type="checkbox"/>	<input type="checkbox"/>



















Quad

A popular profile commonly used across internal cornering, providing a continuous rounded edge and a professional finish.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOQD121224 PN: PNQD121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD121230 PN: PNQD121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191924 PN: PNQD191924	19 x 19mm Length 2.4m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191930 PN: PNQD191930	19 x 19mm Length 3m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191936 PN: PNQD191936	19 x 19mm Length 3.6m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD252524 PN: PNQD252524	25 x 25mm Length 2.4m	 25mm 25mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD252530 PN: PNQD252530	25 x 25mm Length 3m	 25mm 25mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>













Tri-Quad

A popular profile commonly used in similar situations to traditional Quad and is particularly popular in finishing the edge of flooring projects.





TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOTQD121224 PN: PNTQD121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD121230 PN: PNTQD121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD191924 PN: PNTQD191924	19 x 19mm Length 2.4m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD191930 PN: PNTQD191930	19 x 19mm Length 3m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Windmould

A Windmould is used as an external trim between the window frame and the brickwork when installing a window.

TO = Tasmanian Oak **PN** = Radiata Pine



























Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOWMLD301924	30 x 19mm Length 2.4m	 19mm 30mm		<input checked="" type="checkbox"/>	
TO: TOWMLD301930	30 x 19mm Length 3m	 19mm 30mm		<input checked="" type="checkbox"/>	



DAR Rectangle

DAR (Dressed All Round) Rectangle mouldings create a contemporary finish to corners and are used commonly in decorative applications such as batten-effect walls.

TO = Tasmanian Oak **PN** = Radiata Pine









Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODAR201224 PN: PNDAR201224	20 x 12mm Length 2.4m	 12mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR201230	20 x 12mm Length 3m	 12mm 20mm		<input checked="" type="checkbox"/>	
TO: TODAR301224 PN: PNDAR301224	30 x 12mm Length 2.4m	 12mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR301230 PN: PNDAR301230	30 x 12mm Length 3m	 12mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401224 PN: PNDAR401224	40 x 12mm Length 2.4m	 12mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401230 PN: PNDAR401230	40 x 12mm Length 3m	 12mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401236	40 x 12mm Length 3.6m	 12mm 40mm		<input checked="" type="checkbox"/>	
PN: PNDAR401824	40 x 18mm Length 2.4m	 18mm 40mm			<input checked="" type="checkbox"/>
PN: PNDAR401830	40 x 18mm Length 3m	 18mm 40mm			<input checked="" type="checkbox"/>
TO: TODAR651224 PN: PNDAR651224	65 x 12mm Length 2.4m	 12mm 65mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR651230 PN: PNDAR651230	65 x 12mm Length 3m	 12mm 65mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR901224	90 x 12mm Length 2.4m	 12mm 90mm		<input checked="" type="checkbox"/>	
TO: TODAR901230	90 x 12mm Length 3m	 12mm 90mm		<input checked="" type="checkbox"/>	



DAR Square

DAR (Dressed All Round) Square profiles are ideal for giving a contemporary finish to internal joinery corners.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODAR121224 PN: PNDAR121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	
TO: TODAR181824 PN: PNDAR181824	18 x 18mm Length 2.4m	 18mm 18mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR181830 PN: PNDAR181830	18 x 18mm Length 3m	 18mm 18mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>













External Corner

The perfect profile to finish off external corners of wall lining projects.







TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOEXCR202024 PN: PNEXCR202024	20 x 20mm Length 2.4m	 20mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR202030 PN: PNEXCR202030	20 x 20mm Length 3m	 20mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR303024 PN: PNEXCR303024	30 x 30mm Length 2.4m	 30mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR303030 PN: PNEXCR303030	30 x 30mm Length 3m	 30mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Astragal T Rounded

This profile is commonly used as a finishing mould between two doors. It is installed along the edge of one of the doors and provides a neat covering strip as the doors close together.

TO = Tasmanian Oak **PN** = Radiata Pine









Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOAST503021	50 x 30mm Length 2.1m	 30mm 50mm		<input checked="" type="checkbox"/>	
TO: TOAST503024	50 x 30mm Length 2.4m	 30mm 50mm		<input checked="" type="checkbox"/>	
TO: TOAST503030	50 x 30mm Length 3m	 30mm 50mm		<input checked="" type="checkbox"/>	



Scotia

Scotia is used in finishing internal corners and provides a traditional style to timber joinery projects.





TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOSCO191924	19 x 19mm Length 2.4m	 19mm		<input checked="" type="checkbox"/>	
TO: TOSCO191930	19 x 19mm Length 3m	 19mm		<input checked="" type="checkbox"/>	
TO: TOSCO303024 PN: PNSCO303024	30 x 30mm Length 2.4m	 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOSCO303030 PN: PNSCO303030	30 x 30mm Length 3m	 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ovolo

Ovolo is the reverse profile to Scotia and can be used in similar applications. It is also particularly popular when finishing off a dado wall project.

TO = Tasmanian Oak **PN** = Radiata Pine





















Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOOVL191924	19 x 19mm Length 2.4m	 19mm		<input checked="" type="checkbox"/>	
TO: TOOVL191930	19 x 19mm Length 3m	 19mm		<input checked="" type="checkbox"/>	



Edging

This profile offers the perfect finish to benchtop edging and cabinetry projects, its rounded edges give a professional finish to joinery applications.

TO = Tasmanian Oak **PN** = Radiata Pine

















Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOEDG200524	20 x 5mm Length 2.4m	 5mm 20mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOEDG200530	20 x 5mm Length 3m	 5mm 20mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOEDG300524	30 x 5mm Length 2.4m	 5mm 30mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOEDG300530	30 x 5mm Length 3m	 5mm 30mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOEDG400524	40 x 5mm Length 2.4m	 5mm 40mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOEDG400530	40 x 5mm Length 3m	 5mm 40mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
PN: PNEDG300824	30 x 8mm Length 2.4m	 8mm 30mm		<input type="checkbox"/>	<input checked="" type="checkbox"/>
PN: PNEDG300830	30 x 8mm Length 3m	 8mm 30mm		<input type="checkbox"/>	<input checked="" type="checkbox"/>
PN: PNEDG400824	40 x 8mm Length 2.4m	 8mm 40mm		<input type="checkbox"/>	<input checked="" type="checkbox"/>
PN: PNEDG400830	40 x 8mm Length 3m	 8mm 40mm		<input type="checkbox"/>	<input checked="" type="checkbox"/>



Coverstrap

Coverstrap is a versatile profile commonly used to join wall sheet products but can also be used in a range of creative timber joinery applications.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
PN: PNCSP200524	20 x 5mm Length 2.4m	 5mm 20mm			<input checked="" type="checkbox"/>
PN: PNCSP350524	35 x 5mm Length 2.4m	 5mm 35mm			<input checked="" type="checkbox"/>
TO: TOCSP200824 PN: PNCSP200824	20 x 8mm Length 2.4m	 8mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP200830 PN: PNCSP200830	20 x 8mm Length 3m	 8mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP300824 PN: PNCSP300824	30 x 8mm Length 2.4m	 8mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP300830 PN: PNCSP300830	30 x 8mm Length 3m	 8mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP400824 PN: PNCSP400824	40 x 8mm Length 2.4m	 8mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP400830 PN: PNCSP400830	40 x 8mm Length 3m	 8mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>









Glazing Bead No.1

Glazing Bead No.1 is essential when installing glass into timber window frames and can also be used for any trimming or finishing use.



TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOGLB151024	15 x 10mm Length 2.4m	15mm [] 10mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOGLB151030	15 x 10mm Length 3m	15mm [] 10mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Parting Bead

Parting Bead is essential to creating and repairing sash windows as well as having general joinery uses.



TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOPRTBD200924	20 x 9mm Length 2.4m	 9mm 20mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sash Bead

Sash Bead is designed for securing glazing panels into window frames and can also be used for any trimming or finishing use.

TO = Tasmanian Oak **PN** = Radiata Pine



Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOSBD080824	8 x 8mm Length 2.4m	 8mm 8mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>



Fly Bead

Fly Bead is a round profile for installing screen mesh on timber doors and can also be used for other general trimming applications.











TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOFLBD180624	18 x 6mm Length 2.4m	 6mm 18mm		<input checked="" type="checkbox"/>	

Contemporary Mould/ Bevel Glazing Bead

Contemporary Mould is used as a trim when completing projects such as flooring installation and can also be used as a glazing bead for glass installations.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOCONMD120924	12 x 9mm Length 2.4m	 9mm 12mm		<input checked="" type="checkbox"/>	
TO: TOCONMD120930	12 x 9mm Length 3m	 9mm 12mm		<input checked="" type="checkbox"/>	
TO: TOCONMD191224	19 x 12mm Length 2.4m	 12mm 19mm		<input checked="" type="checkbox"/>	
TO: TOCONMD191230	19 x 12mm Length 3m	 12mm 19mm		<input checked="" type="checkbox"/>	
TO: TOCONMD191236	19 x 12mm Length 3.6m	 12mm 19mm		<input checked="" type="checkbox"/>	



Tasmanian Oak Lining

Crafted from 100% certified sustainably harvested Tasmanian Regrowth forests.



ABELWOOD

EVOLUTION LINING




Handcrafted from the finest hardwood regrowth Tasmanian Oak, Abelwood Evolution Lining adds texture and warmth to any space, with a tactile natural appeal that offers versatility for a range of interior design applications including walls, ceilings and cabinetry.

Visit us
online
for more
information



A range of innovative profiles

Abelwood Evolution Lining is available in a range of innovative profiles from the soft curves of Ascent to more angular & geometric shapes offered by Alcove, Niche & Apex.



Available in Prime Grade set lengths

Abelwood Prime Grade features a clear and consistent grain, with a mild mix of natural features and is available in a wide range of set lengths.

Width	Height	Set lengths							
80mm	19mm	0.9m	1.2m	1.5m	1.8m	2.1m	2.4m	2.7m	3.0m

A sustainable natural product


Crafted from only sustainably sourced and PEFC Certified Regrowth Tasmanian Oak, Abelwood Evolution Lining is finished to the highest of standards and provides the ideal backdrop for contemporary design applications in both domestic and commercial projects.


Abelwood’s Evolution Lining features Tasmanian Oak that is light in colour, varying from straw to reddish brown with intermediate shades of cream to pink and offers excellent staining properties, allowing easy matching with other timbers, finishes and furnishings.

Unleash the designer within

With Abelwood Evolution Lining there is no limit to your creativity. Feature them throughout your home on walls and ceilings to create a focal point in a large space, use them to create curved designs that create a sense of flow and movement or connect different spaces with pattern and repetition. All Abelwood Evolution Lining profiles have been crafted to seamlessly connect with each other. Mix and match different profiles to create a truly unique design.

Visit abelwood.com.au/evolution-lining for installation instructions





Ascent




 80mm x 19mm

Ascent features a soft curve 80mm in width with no recess and offers a natural and organic design that undulates in a soft rhythmic pattern.

Ascent creates a sense of calmness and tranquility that suits soft, modern interiors.

Product code	Size
TOASCLPR080019/0.9	80 x 19mm, Length 0.9m
TOASCLPR080019/1.2	80 x 19mm, Length 1.2m
TOASCLPR080019/1.5	80 x 19mm, Length 1.5m
TOASCLPR080019/1.8	80 x 19mm, Length 1.8m
TOASCLPR080019/2.1	80 x 19mm, Length 2.1m
TOASCLPR080019/2.4	80 x 19mm, Length 2.4m
TOASCLPR080019/2.7	80 x 19mm, Length 2.7m
TOASCLPR080019/3.0	80 x 19mm, Length 3m



Alcove




 80mm x 19mm

Alcove's off-centered recess creates an alternating vertical pattern of lengths 15mm wide and 45mm wide divided by a 10mm shadow line.

Alcove creates a striking pattern and features a strong shadow line that is bold and sophisticated and suits a modern style seeking to make a statement.

Product code	Size
TOALCLPR080019/0.9	80 x 19mm, Length 0.9m
TOALCLPR080019/1.2	80 x 19mm, Length 1.2m
TOALCLPR080019/1.5	80 x 19mm, Length 1.5m
TOALCLPR080019/1.8	80 x 19mm, Length 1.8m
TOALCLPR080019/2.1	80 x 19mm, Length 2.1m
TOALCLPR080019/2.4	80 x 19mm, Length 2.4m
TOALCLPR080019/2.7	80 x 19mm, Length 2.7m
TOALCLPR080019/3.0	80 x 19mm, Length 3m



Niche

 80mm x 19mm



Niche offers a symmetrical pattern of lengths 30mm wide divided by a recess of 10mm.

Niche creates a traditional pattern suiting classic styles that are timeless and elegant.

Product code	Size
TONICLPR080019/0.9	80 x 19mm, Length 0.9m
TONICLPR080019/1.2	80 x 19mm, Length 1.2m
TONICLPR080019/1.5	80 x 19mm, Length 1.5m
TONICLPR080019/1.8	80 x 19mm, Length 1.8m
TONICLPR080019/2.1	80 x 19mm, Length 2.1m
TONICLPR080019/2.4	80 x 19mm, Length 2.4m
TONICLPR080019/2.7	80 x 19mm, Length 2.7m
TONICLPR080019/3.0	80 x 19mm, Length 3m

Apex

 80mm x 19mm



Apex features an acute angle 80mm in width with no recess and offers a strong, geometrical design yet remains subtle and understated.

Apex creates a sense of visual continuity across large spaces suiting modern interiors.

Product code	Size
TOAPELPR080019/0.9	80 x 19mm, Length 0.9m
TOAPELPR080019/1.2	80 x 19mm, Length 1.2m
TOAPELPR080019/1.5	80 x 19mm, Length 1.5m
TOAPELPR080019/1.8	80 x 19mm, Length 1.8m
TOAPELPR080019/2.1	80 x 19mm, Length 2.1m
TOAPELPR080019/2.4	80 x 19mm, Length 2.4m
TOAPELPR080019/2.7	80 x 19mm, Length 2.7m
TOAPELPR080019/3.0	80 x 19mm, Length 3m



Woodsmith™

Hand crafted
Tasmanian Oak Engineered Flooring
from nature's finest timber



Visit us
online
for more
information



Handcrafted from the finest hardwood Tasmanian Oak, our engineered flooring begins its life in Tasmania's arresting mountain ranges, before being planed, sanded and meticulously finished. The resource-rich, fertile environment, abundant clean air and reliable rainfall ensure a pure and consistent natural product.

A sustainable and local timber


The regrowth eucalypt hardwood possesses a rare natural beauty, is expertly milled, ensuring waste is minimised and the yield maximised.

An innovative product with a consistent grain

The straight, consistent grain and 165mm flooring profile creates a sense of expansiveness and organic flow for a myriad of interior applications. Quarter sawing ensures a smooth, uninterrupted visual continuity. Due to the layered construction of the flooring it is stable, flexible, resistant to warping and shrinkage, and suitable for domestic and commercial applications.

Woodsmith's Tasmanian Oak engineered flooring is highly receptive to staining, resulting in a wide range of refined, contemporary colours. State of the art production techniques ensure a product that is hard wearing, highly resistant to foot traffic and every day living.

Our original, handcrafted flooring is the perfect designer choice for premium decorative themes and project choices.






Huon Trail

Tasmanian Oak in its purest form is a pale timber with a rustic charm that provides a timelessly elegant aesthetic.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Solid fixed Tongue & Groove




Cradle Sky

Cradle Sky's classic, soft blonde undertone, with a twist of cool sophistication, offsets bolder accents to create a gentle ambience.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Solid fixed Tongue & Groove





Tamar Mist

Tamar Mist has an understated, contemporary beauty, with a refined tone variance that assures versatility in any application.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Solid fixed Tongue & Groove



Shannon Rise

This traditional, rich stain has a luxe character that is endlessly versatile and complements both classic and contemporary architecture.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Solid fixed Tongue & Groove






Derwent Breeze

The timeless blonde of the natural oak is highlighted by Derwent Breeze, creating a sense of light to interior atmospheres.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Solid fixed Tongue & Groove




Uncoated

Tasmanian Oak in its natural form allows you to choose your own coating preference and colour tones to create a truly unique design.

SPECIFICATIONS

Width	165mm
Length	2130mm
Thickness	14.2mm
Installation Type	Tongue and Groove





Bona®

All coated Woodsmith Engineered Flooring Products are finished using the industry leading Bona Naturale UV system.

Bona Naturale UV is the next generation of timber floor finishes and provides a natural looking and feeling alternative to traditional floor treatments such as polyurethane or waxes. This exceptional product has captured the imaginations of architects, designers and design-conscious home owners worldwide.

What is so special about Woodsmith engineered floors treated with Bona Naturale is that it preserves the true nature of the timber floor while giving it durable protection against scratches and stains. It provides virtually maintenance free protection on par with traditional high end finishes, while keeping the natural look and feel to the floor that was previously only possible with oil or wax. Bona Naturale UV is almost VOC free, making it completely safe for young children.

Spot repairs are also possible with Bona Naturale UV, enabling you to deal swiftly and efficiently with any minor damage or scratches throughout the life of the floor.

Bona Naturale UV.

- A UV finish that provides a natural look & feel.
- Appeals to style conscious home owners.
- Provides full wear, scratch and chemical resistant properties.
- Has very low maintenance requirements.
- Ultra low VOCs.
- Allows for seamless spot repairs.
- For more information on Bona Naturale please visit bona.com/naturale



CONTACT US

Email: sales@nsfpgroup.com.au

Phone: +61 3 6326 1181

nevillesmithfp.com.au

[@nevillesmithforestproducts](https://www.instagram.com/nevillesmithforestproducts)